non-Scalable 1x3
SLSd
    sys1  sys2   sys3

[ ]  [ ]  [ ]

non-Scalable 1x3
SLSd
    sys1  sys2   sys3

    SlaveLayout
        Mode Supersample

[ ]  [ ]  [ ]

non-Scalable 2x2
SLSd
    sys1  sys2
    sys3  sys4

    SlaveLayout
        Rows 2
        Columns 2

[ ]  [ ]
[ ]  [ ]

Scalable: Accelerate
            Mode
SLSd
    sys1  sys2
    sys3  sys 4  sys 5

    SlaveLayout
        Mode Accelerate

[3D]  [3D]  [3D]  [3D]
[2D]

Scalable: Supersample
            Mode
SLSd
    sys1  sys2
    sys3  sys4  sys5

    SlaveLayout
        Mode Supersample

[3D]  [3D]
[2D]  [3D]  [3D]

**FIG. 23**

Slave
      Hostname sys1
      Type  2D
End

SLSd
    sys1  sys2  sys3

    SlaveLayout
        Mode Accelerate

[sys1]  [sys2]  [sys3]

SLSd
    sys1  sys2  sys3

    SlaveLayout
        Mode Accelerate

[sys1]  [sys2]  [sys3]

**FIG. 24**

```
Slave
      Hostname      hpwalls
      Device        /dev/crt0

      ServerOptions
            ImmediateLoadDles

      Environment
            HPOGL_SCREEN_SUBWINDOW="0 0 100 100"

End
```

```
Slave
      Hostname          hpwalls
      Device            /dev/crt0
      FastLanAddr       192.168.1.1
      FastLanType       Public

End
```

```
Slave
      Hostname          hpwalls
      Device            /dev/crt0

End
```

**FIG. 25**



**FIG. 26**

**FIG. 27**